review material: section M

What is the limiting reactant in the synthesis of ammonia (NH_3) if you have 5.0 moles of $N_2(g)$ and 10. moles of $H_2(g)$ in the reaction vessel?

$$N_2(g) + 3H_2(g) \rightarrow 2NH_3(g)$$

- 1. N2 (g) is limiting
- 2. H2 (g) is limiting
- 3. Neither are limiting


1

review material: section M

What is the limiting reactant in the synthesis of ammonia (NH_3) if you have 5.0 moles of $N_2(g)$ and 10. moles of $H_2(g)$ in the reaction vessel?

$$N_2(g) + 3H_2(g) \rightarrow 2NH_3(g)$$

- 1. N2 (g) is limiting
- 2. H2 (g) is limiting
 - 3. Neither are limiting



93%


How many of your "α particles" backscattered?

- 1. 1
- 2. 2
- 3. 0

How many of your "α particles" backscattered?



- 2. 2
- 3. 0




As
$$r \rightarrow 0$$
, $F(r) = ?$

- 1. 0
- 2. Does not change
- 3. 1
- 4. Infinitely repulsive
- 5. Infinitely attractive

As
$$r \rightarrow 0$$
, $F(r) = ?$

- 1. 0
- 2. Does not change
- 3. 1
- 4. Infinitely repulsive
- 5. Infinitely attractive



MIT OpenCourseWare http://ocw.mit.edu

5.111 Principles of Chemical Science Fall 2014

For information about citing these materials or our Terms of Use, visit: http://ocw.mit.edu/terms.