

Session #2: Homework Problems

Problem #1

In all likelihood, the Soviet Union and the United States together in the past exploded about ten hydrogen devices underground per year.

- If each explosion converted about 10 g of matter into an equivalent amount of energy (a conservative estimate), how many kJ of energy were released per device?
- If the energy of these ten devices had been used for propulsion to substitute for gasoline combustion, how many gallons of gasoline would not have had to be burned per year? (One gallon of gasoline releases about 1.5×10^5 kJ during combustion.)

Problem #2

How much oxygen (in kg) is required to completely convert 1 mole of C_2H_6 into CO_2 and H_2O ?

Problem #3

A nucleus of mass number 56 contains 30 neutrons. An "ion" of this element has 23 electrons. Write the symbol of this ion and give the ionic charge as a superscript on the right.

Problem #4

Magnesium (Mg) has the following isotopic distribution:

$^{24}_{Mg}$	23.985 amu at 0.7870 fractional abundance
$^{25}_{Mg}$	24.986 amu at 0.1013 fractional abundance
$^{26}_{Mg}$	25.983 amu at 0.1117 fractional abundance

What is the atomic weight of magnesium (Mg) according to these data?

Problem #5

- Balance the equation for the reaction between CO and O_2 to form CO_2 .
- If 32.0 g of oxygen react with CO to form carbon dioxide (CO_2), how much CO was consumed in this reaction?

Problem # 6

One mole of electromagnetic radiation (light, consisting of energy packages called photons) has an energy of 171 kJ/mole photons.

- (a) Determine the wavelength of this light and its position in the visible spectrum.
- (b) Determine the frequency of this radiation (in SI units).

Problem # 7

Determine the velocity of an electron (in m/s) that has been subjected to an accelerating potential V of 150 Volt. (The energy imparted to an electron by an accelerating potential of one Volt is 1.6×10^{-19} Joules; dimensional analysis shows that the dimensions of charge \times potential correspond to those of energy; thus: 1 electron Volt (1eV) = 1.6×10^{-19} Coulomb \times 1 Volt = 1.6×10^{-19} Joules.)

Problem # 8

Determine in units of eV the energy of a photon ($h\nu$) with the wavelength of 800 nm.

MIT OpenCourseWare
<http://ocw.mit.edu>

3.091SC Introduction to Solid State Chemistry
Fall 2009

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.